

FY24 BAYVIEW CORE LABORATORY CHARGE MASTER

Description of Service	Price	\$/unit
8-Oxo-2'-deoxyguanosine (8-oxo-dG, 8OHdG), DNA oxidation	\$ 21.33	\$/sample
-80 Freezer	\$ 10.00	\$/service
11-dehydro Thromboxane B2 , urine	\$ 14.42	\$/sample
23-Valent Pneumococcal IgG ELISA; Anti-pneumococcal capsular polysaccharide (PCP) IgG	\$ 25.75	\$/sample
8-hydroxyguanosine (8-OHG), RNA oxidation	\$ 22.66	\$/sample
Abeta V-plex plus peptide panel	\$ 35.05	\$/kit
Actavin A (ACVA), CLIA, urine	\$ 800.00	\$/kit
Adiponectin Elisa	\$ 21.14	\$/sample
Adiponectin RIA	\$ 16.00	\$/sample
Adiponectin RIA, ≤ 50 samples	\$ 553.00	\$/kit
Adiponectin total, HMW, MMW ,LMW	\$ 56.65	\$/sample
Adiponectin, HMW	\$ 22.66	\$/sample
Adrenaline+Noradrenaline(Bi-cat)( Epinephrine+Norepinephrine)	\$ 35.00	\$/sample
Adrenocorticotrophic hormone (ACTH)	\$ 16.88	\$/sample
Aldosterone	\$ 13.55	\$/sample
Alkaline Phosphatase (bone-specific)	\$ 25.75	\$/sample
Allopregnanolone	\$ 14.42	\$/sample
Alpha 1-Acid Glycoprotein (AGP)	\$ 18.54	\$/sample
Alpha amylase, salivary	\$ 15.14	\$/sample
Alpha melatonin 6-sulfate (aMT6S)	\$ 14.93	\$/sample
Alpha-Klotho, soluble	\$ 24.72	\$/sample
Amyloid Abeta 42	\$ 22.66	\$/sample
Angiopietin	\$ 18.54	\$/sample
Angiotensin converting enzyme (ACE)	\$ 19.05	\$/sample
Angiotensin II	\$ 18.54	\$/sample
Anti-Mullerian Hormone (AMH)	\$ 29.87	\$/sample
Arg8-Vasopressin (AVP)	\$ 17.00	\$/sample
Assay validation (spike and recovery, linearity test, LOD, LOQ determination)	\$ 782.80	\$/service
Atrial naturetic peptide, ANP	\$ 22.81	\$/sample
B Endorphin Elisa (B-EP)	\$ 20.60	\$/sample
BCG Albumin Assay	\$ 8.70	\$/sample
BDNF, total	\$ 658.29	\$/kit
BiCat (epinephrine, norepinephrine)	\$ 33.99	\$/sample
brain natriuretic peptide (BNP) fragment 8-29, Amino-terminal pro-brain natriuretic peptide (NT-ProBNP)	\$ 22.15	\$/sample
Brain natriuretic peptide (proBNP (1-76))	\$ 19.50	\$/sample
Brain-derived neurotrophic factor (BDNF)	\$ 17.50	\$/sample
C-Peptide, ELISA	\$ 16.48	\$/sample
C-peptide, RIA	\$ 10.45	\$/sample
C-reactive protein (CRP), high sensitivity	\$ 16.50	\$/sample
C-reactive protein (CRP), salivary	\$ 14.42	\$/sample
C-telopeptide of type I collagen (ICTP)	\$ 28.84	\$/sample
C-terminal neopeptide (collagen Type II Cleavage), urine	\$ 1,470.00	\$/kit
C-type natriuretic peptide (CNP)	\$ 22.15	\$/sample
Calcitonin Gene-Related Peptide 1 (CGRP-1)	\$ 21.63	\$/sample
Cathelicidin (LL37)	\$ 24.72	\$/sample
CC16 (uteroglobin)	\$ 22.66	\$/sample
CCL2 IL-6 TNFa VEGF-A	\$ 48.88	\$/kit
CCL2 IL-6 TNFa VEGF-A(ELLA)	\$ 52.00	\$/kit
CD14, soluble	\$ 19.05	\$/sample
CD14, soluble, ≤ 36 samples	\$ 556.20	\$/kit
CD163	\$ 19.05	\$/sample
CD40 ligand (CD40L), also called CD154	\$ 18.54	\$/sample
cGMP	\$ 12.36	\$/sample
Charge for running PI supplied ELISA kits	\$ 206.00	\$/kit
Chemo 6-plex	\$ 60.00	\$/kit
Chemo 9-plex	\$ 90.00	\$/kit
Close out Fee (one time fee)	\$ 515.00	\$/service
CMV IgG	\$ 10.30	\$/sample
Consultation / Hour	\$ 60.00	\$/service
Cortisol Elisa, serum	\$ 10.22	\$/sample
cortisol binding globulin, CBG	\$ 26.78	\$/sample
Cortisol, salivary by Salimetrics kit	\$ 15.00	\$/sample

## FY24 BAYVIEW CORE LABORATORY CHARGE MASTER

Description of Service	Price	\$/unit
Cortisol, total, plasma/serum, ELISA	\$ 10.78	\$/sample
Cortisol, total, serum singlicate	\$ 6.45	\$/sample
Cortisol, urine	\$ 13.70	\$/sample
Cotinine, salivary, batched	\$ 15.00	\$/sample
Cotinine, salivary, rapid turnaround, small # samples	\$ 19.77	\$/sample
creatine kinase (CK)	\$ 10.30	\$/sample
Creatinine, serum	\$ 8.21	\$/sample
Creatinine, urine	\$ 6.50	\$/sample
Creatinine, urine, ≤ full kit	\$ 175.00	\$/kit
Cross-linked N-telopeptides of bone type I collagen (NTx)	\$ 19.05	\$/sample
Cross-linked N-telopeptides of bone type I collagen (NTXS), serum	\$ 26.78	\$/sample
CrossLaps (CTX), C-terminal type I collagen telopeptide	\$ 28.89	\$/sample
CTXII, urine	\$ 1,314.65	\$/kit
Custom 6-plex Cytokine Panel, MSD UPLEX	\$ 1,517.00	\$/kit
Cystatin C	\$ 18.54	\$/sample
Cytokine 4-plex 32 samples per plate ( ELLA)	\$ 48.00	\$/sample
Cytokine 4-plex IFN-G IL-1B IL-6 TNFa (Ella)	\$ 48.00	\$/sample
Cytokine 4-plex IFN-G IL-6 IL-8 TNFa (Ella)	\$ 48.00	\$/sample
Cytokine 7-plex	\$ 70.00	\$/sample
Cytokine 9-plex	\$ 90.00	\$/sample
cytokine duplex (IL-6 & TNFalpha)	\$ 8.05	\$/sample
D-dimer	\$ 16.81	\$/sample
D-Dimer E-SEL ICAM-1 VCAM-1(ELLA)	\$ 52.00	\$/sample
D-Dimer Human (ELLA)	\$ 13.41	\$/sample
D-Dimer, Technozyme	\$ 22.00	\$/sample
Dehydroepiandrosterone (DHEA)	\$ 10.81	\$/sample
Dehydroepiandrosterone sulfate (DHEA-S)	\$ 10.78	\$/sample
Deoxy-pyridinoline crosslinks (DPD)	\$ 29.84	\$/sample
E-Selectin, soluble	\$ 18.00	\$/sample
ELLA 4-plex 16 samples /plate	\$ 52.00	\$/sample
Endostatin	\$ 19.53	\$/sample
Erythropoietin	\$ 23.69	\$/sample
Estradiol	\$ 10.30	\$/sample
estradiol, salivary	\$ 15.00	\$/sample
Estradiol, ultrasensitive	\$ 16.48	\$/sample
Factor VII, ELISA	\$ 17.00	\$/sample
Factor VIII Activity	\$ 17.17	\$/sample
Fatty acid-binding protein 2 (I-FABP2)	\$ 18.54	\$/sample
Ferritin	\$ 12.36	\$/sample
FGF-21	\$ 26.57	\$/sample
Fibrinogen	\$ 15.00	\$/sample
Fibroblast growth factor-23 (FGF-23, Intact)	\$ 28.31	\$/sample
Fibroblast growth factor-23, carboxy terminal fragment (FGF-23-C-term)	\$ 26.26	\$/sample
Folate/B12	\$ 14.93	\$/sample
Follicle stimulating hormone (FSH)	\$ 9.27	\$/sample
Free Triiodothyronine	\$ 10.30	\$/sample
Galactin-3	\$ 18.54	\$/sample
Gastric inhibitory peptide (GIP)	\$ 20.08	\$/sample
General Protocol Services	\$ 60.00	\$/service
Ghrelin, active	\$ 15.45	\$/sample
Ghrelin, Total	\$ 15.93	\$/sample
Glucagon	\$ 14.93	\$/sample
Glucagon-like peptide-1 (GLP-1)	\$ 19.57	\$/sample
Glucose	\$ 7.50	\$/sample
Glucose (singlicate)	\$ 5.25	\$/sample
Glycerol	\$ 8.24	\$/sample
Glycoprotein 130, soluble (sGP130)	\$ 18.00	\$/sample
Growth differentiation factor 15 (GDF-15)	\$ 18.00	\$/sample
Growth hormone (GH)	\$ 8.70	\$/sample
Hemoglobin A1c (A1C)	\$ 15.10	\$/sample
High mobility group protein B1 (HMGB1)	\$ 33.33	\$/sample
HSP70 Elisa	\$ 18.54	\$/sample

FY24 BAYVIEW CORE LABORATORY CHARGE MASTER

Description of Service	Price	\$/unit
Human Angiogenesis Panel	\$ 50.00	\$/sample
Hyaluronan, serum	\$ 720.00	\$/kit
IFN-G IL-8 TNF a TNFR1 (ELLA)	\$ 48.00	\$/sample
IFN- $\gamma$ , IL-1 $\alpha$ , IL-6, IL-10, TNF- $\alpha$ , cytokine V-plex	\$ 1,500.00	\$/kit
IgA, salivary	\$ 14.42	\$/sample
IgG Subclass Profile	\$ 41.00	\$/sample
IgG, total	\$ 13.39	\$/sample
IL-10 IL-1B IL-8 TNFR1(ELLA)	\$ 48.88	\$/sample
IL-10 IL-1B IL-8 TNFR1(ELLA)	\$ 48.00	\$/sample
IL-6 2nd Generation (ELLA) 72 samples plate	\$ 13.41	\$/sample
Immunoglobulin Isotyping Panel (total IgA, IgG and IgM)	\$ 25.75	\$/sample
Insulin	\$ 8.03	\$/sample
Insulin (singlicate)	\$ 5.62	\$/sample
Insulin-like growth factor-I (IGF-I)	\$ 17.51	\$/sample
Insulin, salivary	\$ 12.87	\$/sample
Insulin, ultra sensitive	\$ 7.21	\$/sample
Insulin, ultra-sensitive, Mouse	\$ 520.00	\$/kit
Intercellular adhesion molecule-1, soluble (sICAM-1)	\$ 18.00	\$/sample
Interferon-gamma (IFN-gamma)	\$ 17.51	\$/sample
interleukin-1 receptor antagonist (IL-1ra)	\$ 18.33	\$/sample
Interleukin-10 (IL-10)	\$ 17.51	\$/sample
Interleukin-10 (IL-10) high sensitivity	\$ 20.08	\$/sample
Interleukin-11 (IL-11)	\$ 17.51	\$/sample
interleukin-12-bioactive (IL-12-bioactive)	\$ 17.51	\$/sample
Interleukin-12p40 antagonist (IL-12p40 antagonist)	\$ 17.51	\$/sample
Interleukin-13 (IL-13)	\$ 17.51	\$/sample
Interleukin-17 (IL-17)	\$ 17.51	\$/sample
Interleukin-1beta (IL-1beta) high sensitivity	\$ 20.08	\$/sample
Interleukin-4 (IL-4) high sensitivity	\$ 18.54	\$/sample
Interleukin-6 (IL-6)	\$ 17.43	\$/sample
Interleukin-6 (IL-6) high sensitivity	\$ 20.60	\$/sample
Interleukin-6 soluble receptor (IL-6sR)	\$ 19.05	\$/sample
Interleukin-8 (IL-8)	\$ 17.51	\$/sample
Iron status (serum iron level, total iron binding capacity and % saturation of transferrin)	\$ 14.00	\$/sample
Isoprostane (8-iso-Prostaglandin F2alpha), urinary	\$ 10.81	\$/sample
Isoprostane (8-iso-Prostaglandin F2alpha)	\$ 20.60	\$/sample
kynurenine/tryptophan ratio (K/T)	\$ 37.08	\$/sample
Lactate	\$ 16.70	\$/sample
Leptin Elisa	\$ 18.00	\$/sample
Leptin RIA	\$ 10.81	\$/sample
Leptin RIA (125 tubes)	\$ 9.78	\$/sample
Leptin RIA, $\leq$ 50 samples	\$ 463.00	\$/kit
Leptin sR	\$ 18.00	\$/sample
Leukotriene E4	\$ 12.87	\$/sample
Leukotriene E4 (LTE4), urine; $\leq$ full kit	\$ 412.00	\$/kit
levodopa or L-3,4-dihydroxyphenylalanine (L-DOPA)	\$ 24.20	\$/sample
Lipid profile (TC, TG, HDL, LDL, VLDL)	\$ 15.00	\$/sample
Lipopolysaccharide Binding Protein (LBP)	\$ 23.00	\$/sample
Lipoprotein A (LP(a))	\$ 31.93	\$/sample
Luteinizing Hormone ELISA (LH ELISA)	\$ 8.75	\$/sample
Luteinizing hormone, ultra-sensitive (Ansh Labs) Elisa	\$ 11.12	\$/sample
M30 Apoptosense CK18	\$ 32.96	\$/sample
M65 (total CK18)	\$ 32.96	\$/sample
Macrophage migration inhibitory factor (MIF)	\$ 17.54	\$/sample
Matrix metalloproteinase-9 (MMP-9), active	\$ 17.54	\$/sample
Matrix metalloproteinase-9 (MMP-9), total	\$ 16.48	\$/sample
Melatonin direct	\$ 17.54	\$/sample
Melatonin direct (RIA) singlicate	\$ 9.78	\$/sample
Microalbumin	\$ 15.96	\$/sample
MMP-2	\$ 17.54	\$/sample
MMP-7 MMP-9(ELLA)	\$ 31.68	\$/sample
Monocyte chemoattractant protein 1 (MCP-1, CCL2)	\$ 17.54	\$/sample

FY24 BAYVIEW CORE LABORATORY CHARGE MASTER

Description of Service	Price	\$/unit
Mouse/Rat TNF RI/TNFRSF1A	\$ 17.41	\$/sample
MSD V-plex cytokine panel (IL-1CEs, IL-6, IL-8, TNF-CE±)	\$ 45.00	\$/sample
Myeloperoxidase	\$ 20.60	\$/sample
Myostatin	\$ 18.54	\$/sample
N-terminal Propeptide Collagen 2A (PIINP), serum	\$ 842.75	\$/kit
Neopterin	\$ 20.60	\$/sample
Neuropeptide Y (NPY)	\$ 20.60	\$/sample
Nitrotyrosine, HBT	\$ 20.60	\$/sample
Non-esterified free fatty acid (NEFAC)	\$ 14.42	\$/sample
Noradrenaline+adrenaline	\$ 25.75	\$/sample
NTX URINE	\$ 25.75	\$/sample
Osteocalcin (OC)	\$ 19.28	\$/sample
Osteoprotegerin (OPG) or osteoclastogenesis inhibitory factor (OCIF)	\$ 25.75	\$/sample
Oxidized LDL	\$ 20.00	\$/sample
Oxytocin	\$ 20.60	\$/sample
P-Selectin, soluble	\$ 17.51	\$/sample
Panel_1: Endothelin-1, Fibroblast growth factor-21 (FGF-21), Interleukin-6 (IL-6), Tumor necrosis factor alpha (TNFalpha)	\$ 1,272.00	\$/kit
Panel_2: IL-1beta, IL-10, insulin, sTNFR1	\$ 1,272.00	\$/kit
Panel_3: GDF-15, Leptin, ST2/IL-33R, sTNFR2	\$ 1,272.00	\$/kit
Panel_5: Galectin-3, Osteopontin	\$ 750.00	\$/kit
Panel_6: Adiponectin, C Reactive Protein (CRP), Cystatin C	\$ 1,025.00	\$/kit
Parathyroid hormone, intact (iPTH)	\$ 17.33	\$/sample
Plasminogen activator inhibitor-1 (PAI-1)	\$ 24.20	\$/sample
Plasminogen activator inhibitor-1 (PAI-1)	\$ 18.00	\$/sample
Plasminogen activator inhibitor-1/tissue plasminogen activator complex (PAI/tPA Complex)	\$ 20.60	\$/sample
Pregnenolone	\$ 10.50	\$/sample
Pro-adrenomedullin (ADM), CLIA, urine	\$ 800.00	\$/kit
Pro-inflammatory 4-plex Cytokine Panel, MSD VPLex	\$ 40.00	\$/sample
Pro-matrix metalloproteinase-1 (Pro-MMP-1)	\$ 17.51	\$/sample
Procollagen I carboxy-terminal propeptide, CICP or PICP	\$ 23.69	\$/sample
Procollagen I N-terminal Peptide (PINP)	\$ 24.94	\$/sample
Procollagen-III-peptide, Intact N-terminal propeptide of type III procollagen (P3NP)	\$ 23.69	\$/sample
progesterone, salivary	\$ 15.00	\$/sample
Proinflammatory Panel 1(human) 10 plex	\$ 100.00	\$/sample
Proinsulin	\$ 20.08	\$/sample
Proprotein convertase subtilisin/kexin type 9 (PCSK9)	\$ 18.54	\$/sample
Protein S100-B (S100B), CLIA, urine	\$ 800.00	\$/kit
Protein total, urine	\$ 10.30	\$/sample
Protocol Development / hour	\$ 60.00	\$/service
Protocol Management / hour	\$ 60.00	\$/service
Pyridinoline crosslinks (PYD) or Hydroxylysylpyridinoline, urine	\$ 24.72	\$/sample
Pyridinoline crosslinks (PYD) or Hydroxylysylpyridinoline, serum	\$ 24.72	\$/sample
Receptor activator of Nuclear Factor Kappa B Ligand, soluble (sRANKL)	\$ 28.84	\$/sample
Receptor for Advanced Glycation End products (RAGE)	\$ 18.54	\$/sample
Renin Elisa	\$ 22.14	\$/sample
Renin activity	\$ 15.96	\$/sample
Resistin	\$ 18.54	\$/sample
Resistin (ELLA)	\$ 13.41	\$/sample
Scheduling for ICTR Research Laboratory Core sample drop off, Level 2 Biosafety Cabinet use	\$ -	
Scheduling for Mesoscale Discovery (MSD) QuickPlex SQ120MM reservations	enquire	\$/service
Secreted a-Klotho Assay	\$ 22.53	\$/sample
Secretory IgA	\$ 15.45	\$/sample
Sex hormone binding globulin (SHBG), active	\$ 13.90	\$/sample
SF-D	\$ 18.54	\$/sample
soluble a-Klotho Assay	\$ 22.53	\$/sample
Start up Tier 1 (Basic)	\$ 250.00	\$/service
Start up Tier 2 (3-4 hours)	\$ 350.00	\$/service
Start up Tier 3 (5-9 Hours)	\$ 550.00	\$/service
Start up Tier 4 (10 - 14 hours)	\$ 1.00	\$/service
Start up Tier 5 (15 - 20 hours)	\$ 3.00	\$/service
TAP Elisa	\$ 18.40	\$/sample
Tau panel, total Tau and threonine 231 phosphorylated Tau	\$ 32.00	\$/sample

FY24 BAYVIEW CORE LABORATORY CHARGE MASTER

Description of Service	Price	\$/unit
Testosterone, free	\$ 12.36	\$/sample
Testosterone, Total	\$ 10.30	\$/sample
Thiobarbituric acid reactive substances (TBARS)	\$ 8.24	\$/sample
Thrombospondin-1	\$ 19.53	\$/sample
Thyroid stimulating hormone (TSH)	\$ 10.30	\$/sample
TIMP-2 Elisa	\$ 17.51	\$/sample
Tissue inhibitor of matrix metalloproteinase-1 (TIMP-1)	\$ 17.51	\$/sample
Tissue plasminogen activator (tPA)	\$ 20.60	\$/sample
TNFa IL-1B IL-6 IL-8 (ELLA)	\$ 48.00	\$/sample
Training	\$ 60.00	\$/service
Transferrin	\$ 17.51	\$/sample
Transforming growth factor beta-1 (TGF beta 1)	\$ 18.54	\$/sample
Travel / Day	\$ 1,000.00	\$/service
Triiodothyronine (T3), total	\$ 10.30	\$/sample
Tumor necrosis factor receptor I, soluble (sTNF R1)	\$ 18.54	\$/sample
Tumor necrosis factor receptor II, soluble (sTNF R2)	\$ 18.54	\$/sample
Tumor necrosis factor-alpha (TNF-alpha), high sensitivity	\$ 20.60	\$/sample
Type I collagen helical peptide $\pm 1(I)$ 620-633 (Helicopeptide)	\$ 26.26	\$/sample
Uric acid	\$ 12.00	\$/sample
Uric acid, salivary	\$ 9.78	\$/sample
Vascular cell adhesion molecule 1, soluble (sVCAM-1)	\$ 17.51	\$/sample
Vascular endothelial growth factor (VEGF)	\$ 18.54	\$/sample
Vascular Panel 1 Note: Discontinued by Manufacturer	\$ 40.00	\$/sample
Vascular Panel 2	\$ 40.00	\$/sample
Visfatin	\$ 22.66	\$/sample
Vitamin D binding protein	\$ 27.81	\$/sample
Vitamin D binding protein	\$ 27.81	\$/sample
Vitamin D, 25 hydroxy, EIA	\$ 21.22	\$/sample
Vitamin D, 25 hydroxy, RIA	\$ 18.66	\$/sample
von Willebrand factor (vWF), activity assay	\$ 26.78	\$/sample
von Willebrand factor, ELISA assay	\$ 17.51	\$/sample
Xanthine Oxidase (Xanthine oxidoreductase, XOR)	\$ 13.28	\$/sample
YKL 40	\$ 25.75	\$/sample
Zinc	\$ 8.93	\$/sample
Zonulin (haptoglobin 2 precursor)	\$ 29.87	\$/sample