

FY25 ICTR BAYVIEW CORE LABORATORY CHARGE MASTER	
Description of Service	Price
Assay validation (spike and recovery, linearity test, LOD, LOQ determination)	\$ 861.08
Charge for running PI supplied ELISA kits	\$ 226.60
8-Oxo-2'-deoxyguanosine (8-oxo-dG, 8OHdG), DNA oxidation	\$ 23.46
11-dehydro Thromboxane B2 , urine	\$ 15.86
23-Valent Pneumococcal IgG ELISA; Anti-pneumococcal capsular polysaccharide (PCP) IgG	\$ 28.33
8-hydroxyguanosine (8-OHG), RNA oxidation	\$ 24.93
Actavin A (ACVA), CLIA, urine	\$ 880.00
Adiponectin Elisa	\$ 23.25
Adiponectin RIA	\$ 17.60
Adiponectin RIA, <50 samples	\$ 608.30
Adiponectin total, HMW, MMW ,LMW	\$ 62.32
Adiponectin, HMW	\$ 24.93
Adrenaline+Noradrenaline(Bi-cat)(Epinephrine+Norepinephrine)	\$ 38.50
Adrenocorticotrophic hormone (ACTH)	\$ 18.57
Aldosterone	\$ 14.91
Alkaline Phosphatase (bone-specific)	\$ 28.33
Allopregnanolone	\$ 15.86
Alpha 1-Acid Glycoprotein (AGP)	\$ 20.39
Alpha amylase, salivary	\$ 16.65
Alpha melatonin 6-sulfate (aMT6S)	\$ 16.42
Alpha-Klotho, soluble	\$ 27.19
Amyloid CE≤ 42	\$ 24.93
Angiopietin	\$ 20.39
Angiotensin converting enzyme (ACE)	\$ 20.96
Angiotensin II	\$ 20.39
Anti-Müllerian Hormone (AMH)	\$ 32.86
Arg8-Vasopressin (AVP)	\$ 18.70
Atrial naturetic peptide, ANP	\$ 25.09
B Endorphin Elisa (Human B-EP)	\$ 22.66
BCG Albumin Assay	\$ 9.57
BDNF, total, cost by kit	\$ 724.12
BiCat (epinephrine, norepinephrine)	\$ 37.39
brain natriuretic peptide (BNP) fragment 8-29, Amino-terminal pro-brain natriuretic peptide (NT-ProBNP)	\$ 24.37
Brain natriuretic peptide (proBNP (1-76))	\$ 21.45
Brain-derived neurotrophic factor (BDNF)	\$ 19.25
C-Peptide, ELISA	\$ 18.13
C-peptide, RIA	\$ 11.50
C-reactive protein (CRP), high sensitivity	\$ 18.15

C-reactive protein (CRP), salivary	\$ 15.86
C-telopeptide of type I collagen (ICTP)	\$ 31.72
C-terminal neopeptide (collagen Type II Cleavage), urine	\$ 1,617.00
C-type natriuretic peptide (CNP)	\$ 24.37
Calcitonin Gene-Related Peptide 1 (CGRP-1), ELISA	\$ 23.79
Cathelicidin (LL37)	\$ 27.19
CC16 (uteroglobin)	\$ 24.93
CD14, soluble	\$ 20.96
CD14, soluble, < 36 samples	\$ 611.82
CD163	\$ 20.96
CD40 ligand (CD40L), also called CD154	\$ 20.39
cGMP	\$ 13.60
CMV IgG	\$ 11.33
Cortisol Elisa, serum	\$ 11.24
cortisol binding globulin, CBG	\$ 29.46
Cortisol, salivary by Salimetrics kit	\$ 16.50
Cortisol, total, plasma/serum, ELISA	\$ 11.86
Cortisol, total, serum singlicate	\$ 7.10
Cortisol, urine	\$ 15.07
Cotinine, salivary, batched	\$ 16.50
Cotinine, salivary, rapid turnaround, small # samples	\$ 21.75
creatine kinase (CK)	\$ 11.33
Creatinine, serum	\$ 9.03
Creatinine, urine	\$ 7.15
Creatinine, urine, < full kit	\$ 192.50
Cross-linked N-telopeptides of bone type I collagen (NTx)	\$ 20.96
Cross-linked N-telopeptides of bone type I collagen (NTXS), serum	\$ 29.46
CrossLaps (CTX), C-terminal type I collagen telopeptide	\$ 31.78
CTXII, urine	\$ 1,446.12
Cystatin C	\$ 20.39
D-dimer	\$ 18.49
D-Dimer Human (ELLA)	\$ 14.75
D-Dimer, Technozyme	\$ 24.20
Dehydroepiandrosterone (DHEA)	\$ 11.89
Dehydroepiandrosterone sulfate (DHEA-S)	\$ 11.86
Deoxy-pyridinoline crosslinks (DPD)	\$ 32.82
E-Selectin, soluble	\$ 19.80
Endostatin	\$ 21.48
Erythropoietin	\$ 26.06
Estradiol	\$ 11.33
estradiol, salivary	\$ 16.50
Estradiol, ultrasensitive	\$ 18.13
Factor VII, ELISA	\$ 18.70

Factor VIII Activity	\$ 18.89
Fatty acid-binding protein 2 (I-FABP2)	\$ 20.39
Ferritin	\$ 13.60
FGF-21	\$ 29.23
Fibrinogen	\$ 16.50
Fibroblast growth factor-23 (FGF-23, Intact)	\$ 31.14
Fibroblast growth factor-23, carboxy terminal fragment (FGF-23-C-term)	\$ 28.89
Folate/B12	\$ 16.42
Follicle stimulating hormone (FSH)	\$ 10.20
Free Triiodothyronine	\$ 11.33
Galactin-3	\$ 20.39
Gastric inhibitory peptide (GIP)	\$ 22.09
Ghrelin, active	\$ 17.00
Ghrelin, Total	\$ 17.52
Glucagon	\$ 16.42
Glucagon-like peptide-1 (GLP-1)	\$ 21.53
Glucose	\$ 8.25
Glucose (singlicate)	\$ 5.78
Glycerol	\$ 9.06
Glycoprotein 130, soluble (sGP130)	\$ 19.80
Growth differentiation factor 15 (GDF-15)	\$ 19.80
Growth hormone (GH)	\$ 9.57
Hemoglobin A1c (A1C)	\$ 16.61
High mobility group protein B1 (HMGB1)	\$ 36.66
HSP70 Elisa	\$ 20.39
Human IL-6 2nd Generation (ELLA) 72 samples plate	\$ 14.75
Human Secreted a-Klotho Assay	\$ 24.78
Human soluble a-Klotho Assay	\$ 24.78
Human TAP Elisa	\$ 20.24
Hyaluronan, serum	\$ 792.00
IgA, salivary	\$ 15.86
IgG Subclass Profile	\$ 45.10
IgG, total	\$ 14.73
Insulin	\$ 8.83
Insulin (singlicate)	\$ 6.18
Insulin-like growth factor-I (IGF-I)	\$ 19.26
Insulin, salivary	\$ 14.16
Insulin, ultra sensitive	\$ 7.93
Insulin, ultra-sensitive, Mouse	\$ 572.00
Intercellular adhesion molecule-1, soluble (sICAM-1)	\$ 19.80
Interferon-gamma (IFN-g)	\$ 19.26
interleukin-1 receptor antagonist (IL-1ra)	\$ 20.16
Interleukin-10 (IL-10)	\$ 19.26

Interleukin-10 (IL-10) high sensitivity	\$ 22.09
Interleukin-11 (IL-11)	\$ 19.26
interleukin-12-bioactive (IL-12-bioactive)	\$ 19.26
Interleukin-12p40 antagonist (IL-12p40 antagonist)	\$ 19.26
Interleukin-13 (IL-13)	\$ 19.26
Interleukin-17 (IL-17)	\$ 19.26
Interleukin-1beta (IL-1b) high sensitivity	\$ 22.09
Interleukin-4 (IL-4) high sensitivity	\$ 20.39
Interleukin-6 (IL-6)	\$ 19.17
Interleukin-6 (IL-6) high sensitivity	\$ 22.66
Interleukin-6 soluble receptor (IL-6sR)	\$ 20.96
Interleukin-8 (IL-8)	\$ 19.26
Iron status (serum iron level, total iron binding capacity and % saturation of transferrin)	\$ 15.40
Isoprostane (8-iso-Prostaglandin F2alpha), urinary	\$ 11.89
Isoprostane (8-iso-Prostaglandin F2alpha)	\$ 22.66
kynurenine/tryptophan ratio (K/T)	\$ 40.79
Lactate	\$ 18.37
Leptin Elisa	\$ 19.80
Leptin RIA	\$ 11.89
Leptin RIA (125 tubes)	\$ 10.76
Leptin RIA, ,<50 samples	\$ 509.30
Leptin sR	\$ 19.80
Leukotriene E4	\$ 14.16
Leukotriene E4 (LTE4), urine; < full kit	\$ 453.20
levodopa or L-3,4-dihydroxyphenylalanine (L-DOPA)	\$ 26.62
Lipid profile (TC, TG, HDL, LDL, VLDL)	\$ 16.50
Lipopolysaccharide Binding Protein (LBP)	\$ 25.30
Lipoprotein A (LP(a))	\$ 35.12
Luteinizing Hormone ELISA (LH ELISA)	\$ 9.63
Luteinizing hormone, ultra-sensitive (Ansh Labs) Elisa	\$ 12.23
M30 Apoptosense CK18	\$ 36.26
M65 (total CK18)	\$ 36.26
Macrophage migration inhibitory factor (MIF)	\$ 19.29
Matrix metalloproteinase-9 (MMP-9), active	\$ 19.29
Matrix metalloproteinase-9 (MMP-9), total	\$ 18.13
Melatonin direct	\$ 19.29
Melatonin direct (RIA) singlicate	\$ 10.76
Microalbumin	\$ 17.56
MMP-2	\$ 19.29
Monocyte chemoattractant protein 1 (MCP-1, CCL2)	\$ 19.29
Mouse/Rat TNF RI/TNFRSF1A Quantikine ELISA Kit(R&D)	\$ 19.15
Myeloperoxidase	\$ 22.66

Myostatin	\$ 20.39
N-terminal Propeptide Collagen 2A (PIINP), serum	\$ 927.03
Neopterin	\$ 22.66
Neuropeptide Y (NPY)	\$ 22.66
Nitrotyrosine, HBT	\$ 22.66
Non-esterified free fatty acid (NEFAC)	\$ 15.86
Noradrenaline+adrenaline	\$ 28.33
NTX URINE	\$ 28.33
Osteocalcin (OC)	\$ 21.21
Osteoprotegerin (OPG) or osteoclastogenesis inhibitory factor (OCIF)	\$ 28.33
Oxidized LDL	\$ 22.00
Oxytocin	\$ 22.66
P-Selectin, soluble	\$ 19.26
Parathyroid hormone, intact (iPTH)	\$ 19.06
Plasminogen activator inhibitor-1 (PAI-1) (ALPCO)	\$ 26.62
Plasminogen activator inhibitor-1 (PAI-1) (RnD)	\$ 19.80
Plasminogen activator inhibitor-1/tissue plasminogen activator complex (PAI/tPA Complex)	\$ 22.66
Pregnenolone	\$ 11.55
Pro-adrenomedullin (ADM), CLIA, urine	\$ 880.00
Pro-matrix metalloproteinase-1 (Pro-MMP-1)	\$ 19.26
Procollagen I carboxy-terminal propeptide, C1CP or PICP	\$ 26.06
Procollagen I N-terminal Peptide (PINP)	\$ 27.43
Procollagen-III-peptide, Intact N-terminal propeptide of type III procollagen (P3NP)	\$ 26.06
progesterone, salivary	\$ 16.50
Proinsulin	\$ 22.09
Proprotein convertase subtilisin/kexin type 9 (PCSK9)	\$ 20.39
Protein S100-B (S100B), CLIA, urine	\$ 880.00
Protein total, urine	\$ 11.33
Pyridinoline crosslinks (PYD) or Hydroxylysylpyridinoline, urine	\$ 27.19
Pyridinoline crosslinks (PYD) or Hydroxylysylpyridinoline, serum	\$ 27.19
Receptor activator of Nuclear Factor Kappa B Ligand, soluble (sRANKL)	\$ 31.72
Receptor for Advanced Glycation End products (RAGE)	\$ 20.39
Renin Elisa	\$ 24.35
Renin activity	\$ 17.56
Resistin	\$ 20.39
Resistin (ELLA)	\$ 14.75
Secretory IgA	\$ 17.00
Sex hormone binding globulin (SHBG), active	\$ 15.29
SF-D	\$ 20.39
Testosterone, free	\$ 13.60
Testosterone, Total	\$ 11.33

Thiobarbituric acid reactive substances (TBARS)	\$ 9.06
Thrombospondin-1	\$ 21.48
Thyroid stimulating hormone (TSH)	\$ 11.33
TIMP-2 Elisa	\$ 19.26
Tissue inhibitor of matrix metalloproteinase-1 (TIMP-1)	\$ 19.26
Tissue plasminogen activator (tPA)	\$ 22.66
Transferrin	\$ 19.26
Transforming growth factor beta-1 (TGF beta 1)	\$ 20.39
Triiodothyronine (T3), total	\$ 11.33
Tumor necrosis factor receptor I, soluble (sTNF R1)	\$ 20.39
Tumor necrosis factor receptor II, soluble (sTNF R2)	\$ 20.39
Tumor necrosis factor-alpha (TNF-alpha), high sensitivity	\$ 22.66
Type I collagen helical peptide C±1(I) 620-633 (Helicopeptide)	\$ 28.89
Uric acid	\$ 13.20
Uric acid, salivary	\$ 10.76
Vascular cell adhesion molecule 1, soluble (sVCAM-1)	\$ 19.26
Vascular endothelial growth factor (VEGF)	\$ 20.39
Visfatin	\$ 24.93
Vitamin D binding protein	\$ 30.59
Vitamin D binding protein	\$ 30.59
Vitamin D, 25 hydroxy, EIA	\$ 23.34
Vitamin D, 25 hydroxy, RIA	\$ 20.53
von Willebrand factor (vWF), activity assay	\$ 29.46
von Willebrand factor, ELISA assay	\$ 19.26
Xanthine Oxidase (Xanthine oxidoreductase, XOR)	\$ 14.61
YKL 40	\$ 28.33
Zinc	\$ 9.82
Zonulin (haptoglobin 2 precursor)	\$ 32.86
Close out Fee (one time fee)	\$ 566.50
Consultation / Hour	\$ 66.00
General Protocol Services	\$ 66.00
Protocol Development / hour	\$ 66.00
Protocol Management / hour	\$ 66.00
Start up Tier 1 (Basic)	\$ 275.00
Start up Tier 2 (3-4 hours)	\$ 385.00
Start up Tier 3 (5-9 Hours)	\$ 605.00
Start up Tier 4 (10 - 14 hours)	\$ 1.10
Start up Tier 5 (15 - 20 hours)	\$ 3.30
Training	\$ 66.00
Travel / Day	\$ 1,100.00
Abeta V-plex plus peptide panel	\$ 38.56
CCL2 IL-6 TNFa VEGF-A	\$ 53.77
CCL2 IL-6 TNFa VEGF-A(ELLA)	\$ 57.20

Chemo 6-plex	\$ 66.00
Chemo 9-plex	\$ 99.00
Custom 6-plex Cytokine Panel, MSD UPLEX	\$ 1,668.70
Cytokine 4-plex 32 samples per plate (ELLA)	\$ 52.80
Cytokine 4-plex IFN-G IL-1B IL-6 TNFa (Ella)	\$ 52.80
Cytokine 4-plex IFN-G IL-6 IL-8 TNFa (Ella)	\$ 52.80
Cytokine 7-plex	\$ 77.00
Cytokine 9-plex	\$ 99.00
cytokine duplex (IL-6 & TNFalpha)	\$ 8.86
D-Dimer E-SEL ICAM-1 VCAM-1(ELLA)	\$ 57.20
ELLA 4-plex 16 samples /plate	\$ 57.20
Human Angiogenesis Panel	\$ 55.00
IFN-G IL-8 TNF a TNFR1 (ELLA)	\$ 52.80
IFN- α , IL-1 α , IL-6, IL-10, TNF- α , cytokine V-plex	\$ 1,650.00
IL-10 IL-1B IL-8 TNFR1(ELLA)	\$ 53.77
IL-10 IL-1B IL-8 TNFR1(ELLA)	\$ 52.80
Immunoglobulin Isotyping Panel (total IgA, IgG and IgM)	\$ 28.33
MMP-7 MMP-9(ELLA)	\$ 34.85
MSD V-plex cytokine panel (IL-1 α , IL-6, IL-8, TNF- α)	\$ 49.50
Panel_1: Endothelin-1, Fibroblast growth factor-21 (FGF-21), Interleukin-6 (IL-6), Tumor necrosis factor alpha (TNFalpha)	\$ 1,399.20
Panel_2: IL-1beta, IL-10, insulin, sTNFR1	\$ 1,399.20
Panel_3: GDF-15, Leptin, ST2/IL-33R, sTNFR2	\$ 1,399.20
Panel_5: Galectin-3, Osteopontin	\$ 825.00
Panel_6: Adiponectin, C Reactive Protein (CRP), Cystatin C	\$ 1,127.50
Pro-inflammatory 4-plex Cytokine Panel, MSD VPLex	\$ 44.00
Proinflammatory Panel 1(human) 10 plex	\$ 110.00
Tau panel, total Tau and threonine 231 phosphorylated Tau	\$ 35.20
TNFa IL-1B IL-6 IL-8 (ELLA)	\$ 52.80
Vascular Panel 1 Note: Discontinued by Manufacturer	\$ 44.00
Vascular Panel 2	\$ 44.00
Scheduling for ICTR Research Laboratory Core sample drop off, Level 2 Biosafety Cabinet use, or Mesoscale Discovery (MSD) QuickPlex SQ120MM reservations.	\$ -
-80 Freezer	\$ 11.00
CKMB	\$ 17.09
cTNT	\$ 14.56
cTNTSerum/Plasma	\$ 14.56
Human P-Selectin	\$ 18.13
Human Sclerostin	\$ 17.00
IFN-gamma	\$ 15.86
IL-10	\$ 15.86
Il-1beta	\$ 15.86

IL-6	\$ 15.86
IL-8	\$ 15.86
Serum Amyloid A	\$ 15.86
TNF-R1(MSD)	\$ 15.86
TNF-R2(MSD)	\$ 15.86
Troponin I	\$ 19.26
Troponin T	\$ 15.80